

Williams  
Complete

# LED

PRODUCT OFFERING



**MAY 2014**

A Visible Difference®



H.E. WILLIAMS, INC.

# Williams LED Products

Williams Catalog Number	Style							Maximum Lumens (4' unit, unless otherwise specified)	CCT			
	Static	Air Return	Medical	Recessed	Strip	Surface	Suspended		Troffers	Wall Wash	27K	30K
50 Static 1x4	•						•	6,500	•	•	•	•
50 Static 2x2	•						•	6,200	•	•	•	•
50 Static 2x4	•						•	13,000	•	•	•	•
75	•				•			8,500	•	•	•	•
75L	•				•			6,500	•	•	•	•
AHT 2x2	•		•					7,600	•	•	•	•
AHT 2x4	•		•					15,000	•	•	•	•
AMD 2x4	•	•	•					7,600	•	•	•	•
CVM	•				•			Varies by length	•	•	•	•
DI 2x2	•		•					3,800	•	•	•	•
DI 2x4	•		•					7,400	•	•	•	•
DI-AR 2x2	•	•	•					3,300	•	•	•	•
DI-AR 2x4	•	•	•					6,900	•	•	•	•
DIS 2x2	•				•			3,800	•	•	•	•
DIS 2x4	•				•			7,400	•	•	•	•
HES 1x4	•				•			3,800	•	•	•	•
HES 2x2	•				•			3,800	•	•	•	•
HES 2x4	•				•			7,600	•	•	•	•
HET 1x4	•		•					3,800	•	•	•	•
HET 2x2	•		•					3,800	•	•	•	•
HET 2x4	•		•					7,600	•	•	•	•
HET-AR 1x4	•	•	•					3,800	•	•	•	•
HET-AR 2x2	•	•	•					3,800	•	•	•	•
HET-AR 2x4	•	•	•					7,600	•	•	•	•
HETW	•						•	3,000	•	•	•	•
LL6	•		•					3,400	•	•	•	•
LLM	•					•		4,100	•	•	•	•
LLMS	•				•			4,100	•	•	•	•
MD2	•	•	•					3,000	•	•	•	•
SIA1	•						•	6,500	•	•	•	•
SIA2	•						•	6,500	•	•	•	•
SIA3	•						•	6,500	•	•	•	•
SLF							•	9,000	•	•	•	•
VCL	•		•					2,500	•	•	•	•
WMA							•	6,500	•	•	•	•
WMAUD							•	3,200	•	•	•	•

	<b>50 Static Series 1x4   2x2   2x4</b> Premium Static Troffer		<b>LL6</b> 6" Wide Linear Light – Lens or Louver
	<b>75</b> LED Strip		<b>LLM</b> Architectural Slimline Suspended
	<b>75L</b> Lensed LED Strip		<b>LLMS</b> Architectural Slimline Surface Mount
	<b>AHT Series 2x2   2x4</b> Architectural High-Output		<b>MD2</b> Asymmetric Medical Bed Light
	<b>AMD 2x4</b> Architectural Medical		<b>SIA1</b> Suspended Indirect Architectural
	<b>CVM</b> Low Voltage Mini Cove		<b>SIA2</b> Suspended Indirect Architectural – Edgelit
	<b>DI Series 2x2   2x4</b> Recessed Direct/Indirect		<b>SIA3</b> Suspended Indirect Architectural – Gullwing
	<b>DI-AR Series 2x2   2x4</b> Recessed Direct/Indirect – Air Return		<b>SLF</b> Stairwell Light
	<b>DIS Series 2x2   2x4</b> Direct/Indirect Surface Mount		<b>VCL</b> Video Conference Light
	<b>HES Series 1x4   2x2   2x4</b> High Efficiency Surface Mount		<b>WMA</b> Architectural Wall Mount
	<b>HET Series 1x4   2x2   2x4</b> High Efficiency Troffer – Static		<b>WMAUD</b> Architectural Wall Mount Up/Down
	<b>HET-AR Series 1x4   2x2   2x4</b> High Efficiency Troffer – Air Return		
	<b>HETW</b> Architectural Lensed Wall Wash		






	<b>HET 1x1</b> Square Architectural Downlight		<b>ICLED60</b> IC-Rated 6" Round LED Downlight		<b>ICLEDSQ45</b> IC-Rated 4.5" Square LED Downlight
	<b>LED45</b> 4.5" Round LED Downlight		<b>LED60</b> 6" Round LED Downlight		<b>LED45</b> 4.5" Round LED Downlight
	<b>LED45</b> 4.5" Round LED Downlight		<b>LED60</b> 6" Round LED Downlight		<b>LED45</b> 4.5" Round LED Downlight
	<b>LED45</b> 4.5" Round LED Downlight		<b>LED60</b> 6" Round LED Downlight		<b>LED45</b> 4.5" Round LED Downlight
	<b>LED45</b> 4.5" Round LED Downlight		<b>LED60</b> 6" Round LED Downlight		<b>LED45</b> 4.5" Round LED Downlight
	<b>LED45</b> 4.5" Round LED Downlight		<b>LED60</b> 6" Round LED Downlight		<b>LED45</b> 4.5" Round LED Downlight








**EMERGENCY/EXIT FIXTURES**






EMER/CP/ADJ/LED  
EMER/LED  
EXIT  
EXIT/CA  
EXIT/EL  
EXIT/EL/RECESSED  
EXIT/EM/LED  
EXIT/REMOTE  
EXIT/STEEL  
EXIT/THIN  
EXIT/WET

Williams Catalog Number	Style						LED Package											
	Round Trim	Square Trim	IC-Rated	Shower	Directional	Wall Wash	Nominal Lumens						CCT					
							1,000	1,100	1,300	1,500	1,750	2,000	3,000	27K (Osram only)	30K	35K	40K	
HET 1x1		•					•		•		•					•	•	•
LED45	•								•		•		•		•	•	•	•
LEDSQ45		•							•		•		•		•	•	•	•
LED60	•								•		•		•		•	•	•	•
LEDSQ60		•							•		•		•		•	•	•	•
LEDSL60	•			•					•		•		•		•	•	•	•
LEDDR60	•				•				•		•		•		•	•	•	•
LEDWW60	•					•			•		•		•		•	•	•	•
ICLED45	•		•						•		•		•		•	•	•	•
ICLEDSQ45		•	•						•		•		•		•	•	•	•
ICLED60	•		•						•		•		•		•	•	•	•
ICLEDSQ60		•	•						•		•		•		•	•	•	•
ICLEDWW60	•		•			•			•		•		•		•	•	•	•
ICLEDSL60	•		•	•					•		•		•		•	•	•	•

# Williams LED Products

Williams Catalog Number	LED Package		Distribution													
	Maximum Lumens	CCT		Type II	Type III	Type IV	Type V	Type V Rectangular	Internal House Shield	Narrow Spot (3H x 3V)	Medium Flood (5H x 5V)	Wide Flood (6H x 6V)	Horizontal Spot (7H x 5V)	Vertical Flood (5H x 5V)	Horizontal Flood (7H x 5V)	
		40K	50K													
 <b>VA1</b> Voltaire Architectural Area Light	 <b>VA2</b> Voltaire Architectural Area Light															
 <b>VF1</b> Voltaire Small Architectural Flood Light	 <b>VF2</b> Voltaire Large Architectural Flood Light															
 <b>VG1</b> Voltaire Architectural Garage Light																

Williams Catalog Number	LED Package		Housing Top			Shield Style							
	Lumen Module	CCT				Dome Top	Flat Top	Peaked Top	Acrylic Lens with Bowl Reflector (AC)	Horizontal Cast Grill with Opal Diffuser (HG)	Lowered Cast Grill with Clear Diffuser (LG)	Vertical Cast Grill with Opal Diffuser (VG)	Opal Acrylic Panels (OPAL)
		1,100	2,000	27K	30K								
 <b>OSA6R   OSA8R</b> 6" or 8" Round Aluminum Bollard	 <b>OSA6S   OSA8S</b> 6" or 8" Square Aluminum Bollard												
 <b>OSD8H</b> 8" Hexagonal Decorative Aluminum Bollard	 <b>OSF8R</b> 8" Round Fluted Aluminum Bollard												
 <b>OSC10R</b> 10" Round Concrete Bollard	 <b>OSC12R</b> 12" Round Concrete Bollard												
 <b>OSC12S</b> 12" Square Concrete Bollard													

Williams Catalog Number	LED Package		Size			Shield Style							
	Lumen Module	CCT				ø 9-1/2"	10"	15"	Cross Shield	Grill Shield	Angled Shield	Flat Shield	Lowered Shield
		1,100	2,000	27K	30K								
 <b>SWA</b> Round Step Light with Cross Shield	 <b>SWB</b> Round Step Light with Grill Shield												
 <b>SWH   SWL</b> Rectangular Step Light with Angled Shield	 <b>SWJ   SWM</b> Rectangular Step Light with Shield												
 <b>SWK   SWN</b> Rectangular Step Light with Louvered Shield													